

Test Report

No. 4245879-CH01-R1 Date: December 21, 2017 Pag

Page 1 of 3

Multisteps US Ltd. 530 S. Lake Ave. #609 Pasadena, CA 91107 United States

"This report supersedes all previous documents bearing the test report number 4245879-CH01."

The following sample(s) was/were submitted and identified by/on behalf of the client as:			Clamshell Color: Clear and Yellow Style No.: CJ-202	
Sample Received Date:			12/13/2017	
Testing Period			12/13/2017 – 12/19/2017	
Revision Summary Test Requested Test Method & Results Result Summary	:	Updated Cli Please refe Please refe		
Result Summary	•	Test Requested		Conclusion
		1. US FDA phthala Amoun Extract	PASS	

Signed for and on behalf of SGS North America, Inc.

hip mi

Christina Crimi Business Manager, Chemistry & RSTS

Prepared By:

Shain Ibborg

Shaina Gibbons Report Writer, Chemistry Laboratory

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

SGS North America Inc. Consumer Testing Services 291 Fairfield Ave, Fairfield, NJ 07004, USA t (973) 575-5252 f (973) 575-7175 www.sgs.com



Test Report

No. 4245879-CH01-R1 Date: December 21, 2017 Page 2 of 3

1. US FDA 21 CFR 177.1630 – Determination of Amount of Net Chloroform Soluble Extractives

Method : With reference to US FDA 21 CFR 177.1630.

Extractants	Test Condition		Result (mg/inch ²)	Detection Limit	Permissible Limit	
		1	2	3	(mg/inch ²)	(mg/inch ²)
Distilled Water	250°F for 2 hours	ND	ND	ND	0.1	0.2
n-Heptane	150°F for 2 hours	ND	ND	ND	0.1	0.2
Comment		PASS	PASS	PASS		

Sample Description :

1. Matte Yellow Clamshell

2. Transparent Yellow Clamshell

3. Transparent Clamshell

Note : 1. $mg/inch^2 = milligram$ per square inch

2. °F = degrees Fahrenheit

3. ND = Not Detected

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

SGS North America Inc. Consumer Testing Services 291 Fairfield Ave, Fairfield, NJ 07004, USA t (973) 575-5252 f (973) 575-7175 www.sgs.com



Test Report

No. 4245879-CH01-R1 Date: December 21, 2017

Page 3 of 3

Sample Photo(s):



SGS authenticates the photo(s) on the original report only

*** End of Report ***

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

SGS North America Inc. Consumer Testing Services 291 Fairfield Ave, Fairfield, NJ 07004, USA t (973) 575-5252 f (973) 575-7175 www.sgs.com